			_			
S3	1	(SCL specialized adj computer adj language) same representation adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 15:54
S4	2	(SCL specialized adj computer adj language) and representation adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 15:54
S5	2	"6622136".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2007/03/13 15:57
S6	4	("6226792" "6247007").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 15:58
S7	6	domain near3 model\$1 same (computer adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 16:01
S8	8	domain near3 model\$1 and (computer adj language\$1) and (translat\$5 conver\$7 transfor\$9) adj (file table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 10:17
S9	426	domain near3 model\$1 and (sql structure adj query adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 11:57
S10	15	domain near3 model\$1 same (sql structure adj query adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 11:06
S11	9	(correlat\$3 associat\$3) same (element\$1 object\$1) with domain near3 model\$1 same (language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 11:54
S12	2	domain near3 model\$1 and (specialized adj computer adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 11:58

			•			
S13	119	domain near3 model\$1 and (computer adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 11:58
S14	116	domain near3 model\$1 and (computer adj language) and (translat\$3 convert\$3 transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:48
S15	4	(correlat\$5 associat\$5) and domain near3 model\$1 and (computer adj language) and (translat\$3 convert\$3 transform\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 12:01
S16	58	(correlat\$5 associat\$5) and model\$1 and (computer adj language) and (translat\$3 convert\$3 transform\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:49
S17	32	S16 and @rlad<="20040123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:10
S18	8	model\$1 same (computer adj language) and (translat\$3 convert\$3 transform\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 12:07
S19	2	domain adj model\$1 same (translat\$3 convert\$3 transform\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 12:08
S20	156	domain adj model\$1 same (translat\$3 convert\$3 transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 12:14
S21	6	S20 and computer adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 12:09
S22	13	domain adj model\$1 same (translat\$3 convert\$3 transform\$3) same (table file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:17

						T
S23	6	domain adj model\$1 same (translat\$3 convert\$3 transform\$3) same (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:26
S24	4206	(correlat\$5 associat\$5) same model\$1 same language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:27
S25	1	(correlat\$5 associat\$5) same model\$1 with element\$1 same (function\$1 argument\$1) with computer adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:29
S26	1	(correlat\$5 associat\$5) same model\$1 with element\$1 same (function\$1 argument\$1) same computer adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:29
S27	795	(correlat\$5 associat\$5) same model\$1 with element\$1 same (function\$1 argument\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:29
S28	3	S27 and (creat\$3 generat\$3) same (translation interpretion) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:36
S29	10	(correlat\$3 correspond\$3 associat\$3) same (object attribute entit\$3) with domain same (object attribute encod\$3 clause) with (sql construct\$3 near language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:51
S30	1	(establish\$3 correlat\$3 correspond\$3 associat\$3) same (object attribute entit\$3) with domain same (object attribute encod\$3 clause) with language and (creat\$ generat\$3 establish\$3) near (translation interpretation) adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 13:50
S31	1	(correlat\$3 correspond\$3 associat\$3) same (object attribute entit\$3) same domain same (object attribute encod\$3 clause) same (sql construct\$3 near language) same (stor\$3 sav\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:07

3/22/07 4:03:19 PM C:\Documents and Settings\dle2\My Documents\EAST\Workspaces\10763443.wsp

		LAST Searci				
S32	2076	access\$3 near domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:08
S33	0	access with specialized adj computer adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:09
S34		access\$2 with computer adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:09
S35	1	S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:09
S36	54	domain adj model and computer near language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:10
S37	9	S36 and @rlad<="20040123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:24
S38	55	correlat\$3 same domain same language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:24
S39	18	S38 and @rlad<="20040123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/14 14:24
S40 `	0	domain adj model same computer adj language same (schema structure) with (map\$4 correlat\$5 associat5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:33
S41	0	domain adj model and computer adj language same (schema structure) with (map\$4 correlat\$5 associat5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:33

		LASI Sedici				
S42	0	computer adj language same domain same (schema structure) with (map\$4 correlat\$5 associat5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:33
S43	41135	(schema structure) with (map\$4 correlat\$5 associat5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:33
S44	1431	(schema structure) with (map\$4 correlat\$5 associat5) same language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:34
S45	89	S44 same domain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:43
S46	0	S45 and (creat\$3 generat\$3) same (translat\$5 interpret\$5) with table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:35
S47	9	S45 and (translat\$5 interpret\$5) with table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:35
S48	16	S45 and @rlad<="20040123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:52
S49	2268.	(schema structure) same language same map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:50
S50	8119	(creat\$3 generat\$3) same (translat\$5 interpret\$5) with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:51
S51	2480	S49 an11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:51

S52	94	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 10:51
S53	26	S52 and @rlad<="20040123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 11:04
S54	2	"7028028".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 14:45
S55	1	10/733016	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/15 14:45
S56	1	S55 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/15 16:18
S57	1	10/763443	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 16:22
S58	2750	705/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 18:00
S59	2	09/877604	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 15:22
S60		("6021372" "5848373" "6505203").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 15:27
S61	2	"20060080598"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:23

		LASI Searci	i macory			•
S62	427	semantic adj (interpretation translation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:25
S63	0	semantic adj (interpretation translation) same user's near (command\$1 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:26
S64	43	semantic adj (interpretation translation) same (command\$1 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:26
S65	1	semantic adj (interpretation translation) same (command\$1 instruction) same query adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:27
S66	2	semantic adj (interpretation translation) same (command\$1 instruction) and query adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:30
S67	7	semantic adj (interpretation translation) same query adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:37
S68	1	semantic adj (interpretation translation) same (sentence\$1) same query adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 16:38
S69	21	(interpret\$8 translat\$5) same (sentence\$1) same query adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:04
S70	2	"6285999".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 17:29
S71	685	(interpret\$8 translat\$5) same (sentence\$1) same table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:05

S72	4336	(stor\$3 creat\$3 generat\$3) same (interpret\$3 translat\$3) near table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:07
S73	2	S64 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:06
S74	1	(stor\$3 creat\$3 generat\$3) same (interpret\$3 translat\$3) near table same semantic near translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:08
S75	1	(stor\$3 creat\$3 generat\$3) same (interpret\$3 translat\$3) near table and semantic near translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:08
S76	17	S72 and 704/8-9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 18:09
S77	1689	(creat\$3 generat\$3 build\$3) with (translat\$6 interpret\$5) near2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:47
S78	117	domain near3 model\$1 and (computer adj language) and (translat\$3 convert\$3 transform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:48
S79	3	S77 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 10:48
S80	30	S77 and (correlat\$5 associat\$5) and model\$1 and (computer adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 15:34